

# **February Engineering Collective**

By order of: Various Aerospace Companies, Precision Engineers etc

## AUCTION DATE: Thursday 1st February 2024

PZ



VIRTUAL / PHYSICAL VIEWING: Tuesday 30th January 2024 - by appointment only At: PP Saleroom, The Grange Offices, Aunby, Stamford, Lincolnshire, PE9 4EE & other UK Sites.





### PURCHASERS NOTES

#### February Engineering Collective - On-Line Auction Sale

Bidding Closes From: 1.00pm on Thursday 1st February 2024

#### VIEWING

Site Access: Please bring an acceptable form of photographic identification (UK Passport or UK Photographic Driving Licence). PPE including Face Masks, Safety Shoes will be required to gain access to the sites. (No children under 16 years or animals will be allowed onto the sites) Virtual / Physical Viewing: Tuesday 30th January 2024 - BY APPOINTMENT ONLY At: PP Saleroom & Various UK Sites - see back page / catalogue for further details **ON-LINE BIDDING** 1) Purchasers wishing to bid for any lot must first register on-line (www.ppauctions.com) and agree to abide by both the specific sale conditions (purchaser's terms) and the general terms & conditions. 2) All guantities, dimensions, descriptions & photographs given in the catalogue, placed on the bidding pages or quoted by the Auctioneer are approximate and for guidance only, and no warranties are given or implied. 3) Any bid (acceptable to the auctioneer) forms a legally binding contract and the purchaser is responsible for the lot or lots once confirmed by invoice from the Auctioneer. Lots marked '(Delayed Collection)' may be used by the vendor until the release date. N.B. Lots are not transferable. 4) VAT is payable at the current rate on all lots and on the Buyers Premium. 5) Buyers Premium of 15.5% plus VAT is payable on the bid price. 6) Timing: Lots will close at 30 seconds & 1 minute intervals starting from 1.00pm on Thursday 1st February 2024. Any bids received on a lot within the last two minutes will extend the closing time by two minutes for that lot. OTHER BIDDING METHODS Purchaser's unable to bid on-line may bid by the following methods:-A. Proxy Bids - all bids must be submitted to the Auctioneers on our bid form (available on request / viewing day). B. Telephone Bids - available by prior arrangement with the Auctioneers only (minimum £2,000.00) N.B. Bidding by any of the above methods forms a legally binding contract whether or not the lots have been viewed and regardless of any descriptive errors. Buyers Premium is still payable. PAYMENT 1) Payment must be made in full within 3 Days upon receipt of invoice. A 20% deposit is required on delayed items. Invoices will be emailed within 3 working days of the final lot closing. Payment can be made by the following:a] BACS / CHAPS Payment (preferred method) b] On-Line UK Debit & Credit cards Only: £500 Limit (+2% admin fee) Title of the goods remains with the vendors until cleared funds have been received. REMOVAL N.B. GOODS MAY ONLY BE COLLECTED AFTER CLEARED FUNDS HAVE BEEN RECEIVED AND ON PRODUCTION OF: THE ORIGINAL COLLECTION NOTE. Clearance (latest covid-19 guidelines to be observed): All 'Non Delayed' lots must be removed by FRIDAY 16th FEBRUARY 2024 (12.00noon). Due to the nature of the sites, lots must be removed by prior appointment only (at least 24 hours notice - Tel: 01778 590111). Dates for clearance are Weekdays only (Excluding Bank Holidays). Times for clearance are 9.30am to 4.30pm Monday to Thursday & 9.30am to 12.00Noon Friday. Where relevant risk assessments, method statements, removal plans, timing details, etc. must be supplied to the Auctioneers for their approval prior to any work commencing on site. Where removal of equipment involves structural work "making good" will be the purchasers responsibility (BTMG). Please Note: Certain machines may have to be removed by approved contractors only. Loading: All Lots are deemed to be purchased 'where they are situated' and in 'the condition as viewed'. All Preparation/ Dismantling/Slinging/Lifting/Transportation etc. of the equipment is the exclusive responsibility of the purchaser. No containers can be loaded on site without 5 working days notice & prior written approval from the Auctioneers. Personnel / Equipment: All personnel intending to operate lifting / moving equipment on site must first produce to the Peaker Pattinson supervisor - current UK operating licenses - current UK equipment certificates and proof of all relevant UK insurances. They will be expected to work to The Vendors, Peaker Pattinson (Auctioneers) Ltd and current Health & safety regulations and may be ordered off the site at any time for breach of these regulations. Peaker Pattinson (Auctioneers) Limited

TEL: +44 (0)1778 590111 FAX: +44 (0)1778 590730 E-mail: info@ppauctions.com

PP Peaker Pattinson (Auctioneers) Ltd

#### **TERMS & CONDITIONS**

**1.** Every Sale and these conditions of sale shall be governed by and construed in accordance with English Law and shall be subject to the jurisdiction of English Courts.

2. The Company acts as Principles in respect of goods offered for sale and herein shall be known as the 'Auctioneers'. Persons instructing the Company to sell goods are herein known as the 'Clients'. Persons who have acquired lots offered for sale by the Auctioneers are herein known as the 'Purchasers'.

**3.** All persons attending a Sale under the conduct of the Auctioneers - whether on viewing day, sale day, or to remove equipment at the sale rooms or any other site - shall be deemed to be on the land and premises at their own risk and shall have no claim against the Auctioneers or their principals in respect of the cancellation / postponement of a Sale or any loss, accident or injury, however occasioned, save in so far as the same is proven to be caused by the direct negligence of an employee(s) of the Company.

4. The Auctioneers make every reasonable effort to ensure the accuracy of the Advertisements, catalogue / on-line descriptions, photographs and other publicity but except where specifically instructed so to certify by a Client, declare that all statements, oral or in writing, are those of opinion only, made without responsibility and shall not give rise to any action in law for damages, compensation or rescission of sale by a Purchaser, against any Client, the Auctioneers or their employees.

5. Many lots are of an age or nature, which preclude their being in pristine condition. Some catalogue / on-line descriptions may make reference to damage and / or restoration; however, omission of such a reference does not imply a lot is free from defects nor does any reference to a particular defect imply the absence of others.

6. Purchasers should therefore satisfy themselves by physical inspection of lots, before bidding, as to the origin, authenticity, quality, quantity, age, weight, size and general description - as lots are sold in their actual state with all faults, imperfections or errors of description & photographs. Any discrepancy over lots must be notified to the Auctioneers prior to removal.
7. Electrical / Mechanical goods are sold on the strict understanding that these are untested, without warranties or any

guarantees as to serviceability or working order. 8. Persons handling lots do so at their own risk and shall make good all loss and damage howsoever sustained; such estimate of cost to be assessed by the Auctioneers whose decision shall be final.

9. In making a bid, Purchasers acknowledge their attention has been drawn to these Conditions of Sale and that they are satisfied as to the description, photographs and condition of lots.

**10.** Lots are sold subject to any announcement, declaration, alternation of description or other matters, made by the Auctioneers prior to the closure of the lots.

**11.** At the fall of the hammer, due Tender Date or on-line lot closing, the highest bidder, acceptable to the Auctioneers, shall be deemed to be the Purchaser. In all cases including on-line technical problems, any dispute shall be settled by the Auctioneers, whose decision shall be absolute and final. No lots shall be transferred.

**12.** The Auctioneers my divide, combine, add to or withdraw lots and make any catalogue alterations without notice or reason; they shall regulate bidding, accept or reject any bid (at their absolute discretion and without justification) and bid on behalf of the Client, where there is a reserve price or at their authorised discretion.

**13.** The Auctioneers shall not be responsible for default on the part of Clients or Purchasers. Any resultant deficiency, together with interest, costs and expenses, shall be made good by the defaulter, recoverable as and for liquidation damages. This condition is, however without prejudice to the right of the Auctioneers, in appropriate circumstances to enforce the Sale Contract if they think fit.

**14.** The Contract of Sale is made with the Auctioneers as Principal Agents for the Client and payment shall only be made to them. Notwithstanding the foregoing, the Auctioneers shall retain a lien on all goods, which shall not pass to the Purchaser until full payment has been received.

**15.** Payment must be made in full to the Auctioneers within 3 days of receipt of invoice by bank transfer (BACS / CHAPS - preferred method) or by UK debit cards for invoices up to £500 only; and goods will not be released / title of the goods will remain with the vendors until cleared funds have been received.

**16.** At the fall of the hammer or on acceptance of the Tender, Private Treaty or on-line auction, all lots shall be and remain, in every respect, at the absolute risk of the Purchaser, including those of fire, burglary, etc. and damage occasioned to lots by the removal of other goods.

**17.** Lots marked '(Delayed Collection)' may be used by the Client until the agreed release date. No responsibility will be taken for 'wear & tear' however breakages will be made good by the Client.

18. Purchasers shall pay for and remove lots at their own risk and expense within the specified period following the sale; after such time the Auctioneers reserve the right to scrap, or to resell uncollected lots with no refund being made to the purchaser. In addition they shall be subject to a daily charge per lot to cover storage, loading, transport, etc. and where applicable, interest on outstanding accounts will be levied at 4% above Barclays Bank Minimum Lending Rate. In all cases, the Auctioneers may act without notice and any incidental expenses incurred (including building clearance, penalty clauses etc.) will become a liability to the defaulter.

**19.** All bidders must be over the age of 18 years old and must have the express authority of the company or body to bid on their behalf. The Auctioneers reserve the right to refuse the highest bidder confirmation of purchase of any lot without reason or justification.

20. The Auctioneers reserve the right to cancel, postpone or re-run an on-line auction / tender in whole or part without reason or justification.

**21.** HEALTH AND SAFETY AT WORK ACT 1974 [Section 6(8)] Purchasers must take all necessary steps to ensure that equipment purchased is safe and without risks to health when it is re-installed, re-used, cleaned or maintained by a person at work. By accepting these terms and conditions the Purchaser agrees to relieve the Auctioneer and their Clients of any liabilities under section 6(1)(a) or 6(1A) of the Act, and accept that failure to facilitate all necessary safety requirements before taking the equipment into service may render the Purchaser liable to prosecution and / or a fine of up to £20,000 on summary conviction. (Note: It is a UK legal requirement that before work equipment can be taken into use it must comply with the Provision and Use of Work Equipment Regulations 1998 and any other relevant legislation).

| LOT      | DESCRIPTION  |
|----------|--|
|          | Thursday 1st February 2024 - starting 1.00pm   |
|          | Equipment Located at: PP Saleroom, Aunby, Lincolnshire                                   |
| 1        | Qty various hammers, spanners, hex tools, T-handles, files, screwdrivers etc             |
| 2        | Presto 1150R/13R pipe threader BSP in metal carry case                                   |
| 3        | Rems Amigo 2 110v pipe threader inc: thread cutter in metal carry case                   |
| 4        | Sykes 931/X bearing puller in metal case   |
| 5        | 4x Omron STI MS4800 light guards, 1400mm   |
| 6        | 6x various Guardshield Safe 4 light guards   |
| 7        | 8x Guardshield 445L-T45144OYD light guards   |
| 8        | 3x various bearing pullers   |
| 9        | 2x Hilka 1.5T scissor Jacks  |
| 10       | Smiths Instruments tachometer, 0-500 in case   |
| 11       | 3x various bearing pullers   |
| 12       | Makita GA4530R angle grinder, 115mm dia, 110v & Draper Tri Base electric sander, 240v    |
| 13       | Toledo TPD-1-/400 electric drill, 240v & Makita electric drill, 240v                     |
| 14       | Atlas Copco GTG40 pneumatic angle grinder, 230mm dia                                     |
| 15       | Hitachi G23SS angle grinder, 230mm dia, 110v <b>(2012)</b>                               |
| 16       | 2x Makita GA7040S angle grinders, 180mm dia (no plugs) (2010)                            |
| 17       | Evolution Rage B061U circular saw, 110v, 3500rpm in carry case                           |
| 18       | 3M Industry Headgear G500V5FH510-GU helmet visor ear protectors (boxed)                  |
| 19       | Carroll & Meynell 110v transformer, 5.25kva  |
| 20       | 3x various welding masks   |
| 21       | Plasma-Cut LGK Cut-50 inverter air plasma cutter, 12A, 4.6kva                            |
| 22       | Qty various lights, light bulbs etc inc: Spectra-Plus triphosphor, Sylvania 28W, 16W etc |
| 23<br>24 |  |
| 25       | JMS 1.5kva transformer, Trion Sanford 27330 transformer, 120v input                      |
| 26       | Legrand 42468 mono transformer, 630va / 1500va   |
| 27       | Qty various timers, relays, counters etc inc: Broyce, Omron, Eurotime etc                |
| 28       | Instron MF10.000 melt flow tester inc: Gefran controls                                   |
| 29       | Mitutoyo Surtest SJ-410 surface roughness test inc: equipment & manuals in carry case    |
| 30       | Hitech PWS6A00T-P machine monitor control (2017), Eurotherm 6180A temperature control    |
| 31       | Matlock MTL-405-1740K multishelf boltless storage rack (boxed & unused)                  |
| 32       | Qty various part reels Cat 5e cable inc: Deta, Connectix, Draka etc                      |
| 33       | Qty various electrical spares inc: buttons, sockets, contactors, beacons etc             |
| 34       | 5x various size lathe tool centres   |
| 35       | Qty various tool sleeves   |
| 36       | Qty various inc: reamers, tips, turning tools etc  |
| 37       | Qty various thread chasers   |
| 38       | Qty various tipped turning tools   |

| LOT            | DESCRIPTION  |
|----------------|--|
| 39             | Qty various tipped turning tools   |
| 40             | Qty various turning tools  |
| 41             | Qty various turning tools  |
| 42             | Briticent SEFS/2/110v site light (unused), 2x JSP Maxilite, orange   |
| 43             | IMO Jaguar Cub VC55M AC variable speed drive <i>(boxed)</i>  |
| 44             | Parker 514C DC controller (boxed)  |
| 45             | Eurotherm 584S variable speed drive  |
| 46             | Large Qty various electrical spares inc: buttons, relays, contactors, interiors, actuators etc                                   |
| 47             | Keufel & Esser 71-1010 microscope in wooden case   |
| 48             | Negretti & Zambra baro-vacuum gauge in wooden / glass case   |
| 49             | Enica rail 350 metering system in enclosure  |
| 50             | Parker 10G-46-0600-BF AC10 driver  |
| 51             | 3x Chevron MS01 LEV monitors, Martindale phase & continuity indicator etc  |
| 52             | Ahuka SUH-15 PA horn speaker (boxed & unused)  |
| 53             | 2x Maxcess GTSB250-EC12M magpower, max power 250kg   |
| 54             | 5x Dungs MPA4122 V1.1 burner controllers / drivers   |
| 55             | 6x Dungs MPA4122 V1.1 burner controllers / drivers   |
| 56             | Qty various overhead crane pendant controls, Schneider XPE B311 foot pedal switches etc  |
| 57             | Burkett 2012 Globe control valve, pneumatic operated, 40-125mm, DN10-65 (unused)   |
| 58             | ABB ACS800 controller / driver   |
| 59             | 2x various metal electric boxes  |
| 60             | Sick Sensick WL/250, WL160 photoelectric reflex switches (boxed & unused), 2x Bellofram 966-710-200 transducers (boxed & unused) |
| 61             | Stronghold Mane 7 manual carton stapler inc: 18mm staples (boxed)  |
| 62             | Keurig K150P K-Cup single cup coffee machine   |
| 63             | GBC C12 CombBind binder with binders   |
| 64             | 3x various Schneider metal enclosures (boxed & unused)   |
| 65             | Centralp K910289-S/AA data tray (boxed)  |
| 66<br>67<br>68 | Weightek 3T cap digital hoist scale  |
| 69<br>70       | Master Mover Ltd MT20/960 battery operated mover / Tug, 24v (spares / repair - no charger) (2009)                                |
| 71             | Master Mover Ltd MT20/960 battery operated mover / Tug with charger, 9600kg cap, 24v (push/pull) (2009)                          |
| 72             | Master Mover Ltd MT20/960 battery operated mover / Tug with charger, 9600kg cap, 24v (push/pull) (2010)                          |
| 73             | Stanley 557 D/E bench grinder, 2800-3450rpm, 240v  |
| 74             | 2x wooden workbenches with built in cupboards, 1800x1800mm   |
| 75             | FDS YDC-8AI basket stretcher   |
| 76             | Ohaus Defender 3000 digital platform scales, 2200x1800mm platform  |
| 77             | BRG Recycling Machinery BRG DC heavy duty compactor, 1400x900x900mm approx bale size (2018)                                      |
| 78             | Halcyon Drives control / electrical cabinet inc: 2x ABB ACS800 drivers & various contactors                                      |

| LOT        | DESCRIPTION   |
|------------|---|
| 79         | Heraeus noble light infrared control / electrical cabinet inc: various contactors etc                               |
| 80         | Steel mobile workshop table, 2530x1580mm  |
| 81         | 1 bay multishelf boltless storage racking, 2130x900x2000mm H (dismantled)   |
| 82         | Bridgeport turret milling machine, 42x9" table, 50-3000rpm, Anilam Microwizard DRO, power feed                      |
| 83         | King Rich KRV-2000 turret milling machine, 48x10" table, 60-4200rpm, Mitutoyo Linear DRO, power feed                |
| 84         | Ajax B-16L single spindle drill, 280x280mm RF table, 380-3400rpm on metal stand                                     |
| 85         | Manual 700mm folder on metal frame  |
| 86         | Manual hand shear on metal stand, 300mm blade   |
| 87         | Morris 80/85 electric chain hoist, pendant control, 2T cap <b>(2005)</b>  |
| 88         | CI surface table, 1100x800mm  |
| 89         | Standard Power SP29/200 air compressor on receiver, 5.6kW, 3430rpm motor, 200ltr (2005)                             |
| 90         | Clarke Air SE23A200 air compressor on receiver, 4kW, 2860rpm motor, 200ltr, 150PSi                                  |
| 91         | Avery 250kg cap scales, 660x550mm platform  |
| 92         | Manual bending rolls on metal frame, 700mm rolls  |
| 93         | Hydraulic manual press inc: Magnus CP1600 hydraulic hand pump, 10000psi, 500x500mm work area                        |
| 94         | Manual hydraulic garage press, 12T cap inc: various jigs  |
| 95         | VEM DS200 D/E bench grinder on stand, 200mm dia wheel, 3000rpm  |
| 96         | RJH Bandfacer belt linisher, 100mm belt   |
| 97         | Hilmar EL25 manual pipe bender  |
| 98         | Heavy duty D/E grinder  |
| 99         | Asquith ODI radial arm drill, 42-1130rpm spindle speeds, 700x600mm CI T-slot cube, vice                             |
| 100        | Colchester Triumph 2000 centre lathe, 7.5" CH x 50" b.c., DRO, tooling inc: 3 &4 jaw chucks, face plate, 25-2000rpm |
| 101        | 2x KAB grey upholstered vehicle seats   |
| 102        | 2x Bisley black metal 2 drawer storage cabinets, 1000x680x470mm   |
| 103        | 2x Bisley black metal 2 drawer storage cabinets, 1000x680x470mm   |
| 104        | 12x 40 int taper tool holders, tips etc   |
| 105<br>106 |   |
|            | CI surface table, 910x910mm on levelling base with Machine Tapping pneumatic tapping head on articulated arm        |
|            | Jasic Mig350 inverter mig welder, 15kva inc: Mig ER705-6 wire etc   |
|            | R-Tech Tig161 tig welder inc: foot switch on mobile trolley   |
|            | Kennedy PWF050 parts washer, 240v   |
|            | Bomar STG220 DG horizontal hacksaw, 1.0kW inc: tool clamp (1998)  |
|            | Startrite 24S-5 bandsaw, 260-1460 blade speeds, 480x480mm table, 0.9kW  |
|            | Large Qty various fuses, Simplex light, Portistor distribution box etc in wooden crate                              |
|            | Qty various cut off valves, actuators etc   |
|            | Rental Spec forkable man cage, single door  |
|            | Raptor 2T manual chain hoist (2017)   |
|            | Raptor 2T manual chain hoist (2012)   |
| 118        | Raptor 2T manual chain hoist <b>(2012)</b>  |

| LOT        | DESCRIPTION   |
|------------|---|
| 119        | Manual bench type hand shear, 150mm blade   |
| 120        | Record No 25 bench vice   |
| 121        | Record No 25 bench vice   |
| 122        | Record No 23 bench vice   |
| 123        | Manual bench type hand shear, 150mm blade   |
| 124        | 150mm machine vice  |
| 125        | 150mm machine vice  |
| 126        | Webster Bennett CI surface table, 1830x1200mm on metal frame  |
| 127        | Speedex CS/125 MKII composite cut off saw (1999)  |
| 128        | Die heated jig roller machine on 3 mobile trolleys, controls etc                                      |
| 129        | Antriebe 132TR4/43 electric motor / gearbox, 5.2kW, 1350rpm   |
| 130        | Brammer FEN-53452 PT gearbox <i>(unused)</i>  |
| 131        | Brook & Crompton P/DA160LA electric motor, 11kW, 970rpm in wooden crate (unused)                      |
| 132        | Qty various multicore, network, electrical cable on pallet  |
| 133        | Sheffield Transmission Developments Ltd transmission gearbox, s/n 13663 (unused)                      |
| 134        | Sheffield Transmission Developments Ltd transmission gearbox inc: valve flange, s/n 13721 (unused)    |
| 135        | Qty various electrical contactors etc on pallet   |
| 136        | Sew electric motor / gearbox, 5.5kW, 1455rpm  |
| 137        | Euroquipment Mod 8 manual mobile lifter, 500kg SWL, 1850mm mast height (1990)                         |
| 138        | Brit Truck electric mobile lifter, 1000kgs, 2400mm mast height (no charger)                           |
| 139        | TB Davies 5 step mobile safety steps (2020)   |
| 140        | Manual pallet truck, 2500kg cap <b>(2004)</b>   |
| 141        | Hako-Jonas 900E ride on electric floor sweeper inc: charger, 903hrs (2013)                            |
| 142        | Hako Hakomat B115R ride on electric floor cleaner, wet & dry, 24v DC, built in charger, 215hrs (2013) |
| 143        | Aluminium 4 step mobile platform steps  |
| 144        | Janssen MKS-550G-S mobile engine hoist, 550kg cap   |
| 145        | Speedex CS/125 MKII composite cut off saw (1991)  |
| 146        | Speedex CS/180 MKII composite cut off saw (1996)  |
| 147        | Manual mobile lifter, 300kg max, 1800mm mast height   |
| 148        | Ekwo mobile elevation trolley, 200kg cap inc: Sealey GWW 1200B manual winch, 540kg cap                |
| 149        | Kerstar 110v vacuum cleaner   |
| 150        | Battery operated elevation pallet truck, 800mm lift height, 1000kg cap                                |
| 151        | Hyster manual pallet truck, 1000kg cap  |
| 152        | Nesco manual pallet truck inc: weighing scales, 2000kg cap (2004)                                     |
| 153        | Ravas manual pallet truck inc: weighing scales, 2000kg cap (2018)                                     |
| 154        | Floor standing electric industrial fan, 240v  |
| 155        | Sealey HVSF30 floor standing electric fan, 240v, 170W, 920rpm   |
| 156<br>157 |   |
| 158        | Jenco SD65MT dehumidifying dryer hopper unit on mobile frame, 240v                                    |

| LOT | DESCRIPTION   |
|-----|---|
| 159 | Halcyon Drives electrical cabinet inc: ABB ACS 800 driver, Plus Dimensio power supply, contactors etc   |
| 160 | Crompton Series 3000 electric hydraulic pump on sack trolley  |
| 161 | Numatic WVD1800DH-2 industrial vacuum, 2400W, 110v  |
| 162 | Elta Fans Ltd SC122X4 industrial fan, 30kW, 1440rpm <b>(2012)</b>   |
| 163 | Cardev electric hydraulic filtered oil pump on mobile trolley, 110v inc: filters  |
|     | Raille spark detection system inc: T&B Electronics BM6 digital control panel, Reflex DE300 cylinder, Grundfos tank & pump   |
| 165 | Necta Rondo digital vending machine, 240v   |
| 166 | Necta Astro digital coffee / tea vending machine  |
| 167 | Stainless steel upright warming / drying cabinet, 3x burners, 350x1800 int dia  |
| 168 | Eaton EBM242 distribution board / cabinet, 24 way, Type B, 250A (boxed & unused)  |
| 169 | Lab Tech Engineering polymer processing machine inc: hopper feeder centre control unit, water bath LW-100, 1500x200mm, Pelletizer LZ-120, central control with 300mm flat die on mobile hanging stand, high speed mixer LMX10-S-VS, cooler mixer LCM-24 ETC, s/n 1407-LCC <b>(2014)</b> |
| 170 | Manual pallet truck inc: weighing scales, 2000kg cap (2007)   |
| 171 | Engineers granite slab, 600x600mm   |
| 172 | Hoist grip 500kg cap bar stock lifter <b>(2005)</b>   |
| 173 | Qty various lifting shackles, eyes etc  |
| 174 | Machine steering skate ST120, 12000kg cap <b>(2008)</b> , hydraulic machine Jack <i>(spares / repair)</i> , 6x machine<br>moving skates, 2x tank skates   |
| 175 | Treston 3 tier workshop bench inc: electric light, 800x800x2000mm H   |
| 176 | 2x WEM girder clamps, 5T SWL  |
| 177 | ERSA-Matic diaphragm pump   |
| 178 | Treston 2 tier workshop bench inc: electric light, 1200x700x2000mm H  |
| 179 | Binder ED23 laboratory oven, 300degC temperature, 0.80kW, 220x220x320mm int dim   |
| 180 | Qty various gauges inc: pressure, safety, pattern, pneumatic etc  |
| 181 | NU Tools 2542 pneumatic impact wrench, 1/2" <i>(boxed)</i>  |
| 182 | Qty various Allen keys in metal tool box  |
| 183 | Qty various inc: drills, taps, end mills etc  |
| 184 | Treston 2 tier workshop bench inc: electric light, 1200x700x2000mm H  |
| 185 | Bosch GSB 18-2RE 110v hammer drill in case  |
| 186 | Qty various number / letter stamps  |
| 187 | Qty various Pryor number / letter stamps  |
| 188 | Qty various Pryor number / letter stamps  |
| 189 | Qty various plug gauges etc   |
| 190 | EGA-Kut manual pipe threader, thread caliper gauge  |
| 191 | Qty various lathe centres, tool holders etc   |
| 192 | 2x 50int tapered tool holders   |
| 193 | Qty various parallels, tool steel etc   |
| 194 | 5x lathe centres  |
| 195 | Qty various tool holders  |

| LOT                      | DESCRIPTION  |
|--------------------------|--|
| 196                      | Qty various HSS tapered pointed reamers  |
| 197                      | Qty various HSS reamers  |
| 198                      | Qty various tool holders, centres etc  |
| 199                      | Stronghold Economic die set in wooden case   |
| 200                      | Treston 2 tier workshop bench inc: electric light, 1200x700x2000mm H   |
| 201<br>202               |  |
| 203                      | Tarnow TUJ 50m x 3000 heavy duty gap bed lathe, 300mm CH x 3000mm b.c., 31.5-1600rpm, 100mm bore, 3 & 4 jaw chucks, face plates, 2x steadies, jaws, drill chucks, tool holders etc <b>(1990)</b> |
| 204                      | Reid aluminium frame Porta-Gantry mobile gantry crane inc: manual chain hoist, 1000kg cap, 3000mm max<br>height <b>(2012)</b>  |
| 205                      | 2x steel box section work stands, 860mm H  |
| 206                      | Terex Donti GBAC swing jib column & arm, 250kg cap, 3m H x 2m span <b>(2015)</b>   |
| 207                      | Wright Attachments USCB 70x2000 fork truck prong attachment, 850kg SWL, 1000mm load cap (2014)   |
| 208                      | Steel box section 2 sided yellow / blue cage system, 2500x2500x2000mm H  |
| 209                      | Large mobile pneumatic rotation stands, 2000x1000mm turn area  |
| 210                      | Large pneumatic rotation mechanism on mobile steel frame, turnover fixture   |
| 211<br>212<br>213<br>214 | Small pneumatic rotation / turnover fixture on mobile steel frame, 600mm turn area   |
|                          | Outside Compound   |
| 215                      | 4x Marshalls 2100 concrete channels tops / lids, 2x 1200x500mm concrete drainage rings   |
| 216                      | 2 pallets various steel drainage boxes, various size rubber feet   |
| 217                      | 4 pallets various Marshalls concrete kerb edging inc: radius, straight etc   |
| 218                      | 17x Flexi Seal PA1540 saddle flanges, Qty various Polypipe ducting, connectors etc   |
| 219                      | 5 pallets various ACO kerb drains  |
| 220                      | 3 pallets various concrete edging, drain kerbs   |
| 221                      | 6 pallets various ACO concrete kerb drains   |
| 222                      | 7 pallets various concrete gully channels etc  |
| 223                      | 10 pallets various concrete gully channels etc   |
| 224                      | 3 pallets various Marshalls FP McCann concrete manhole lids, 1250mm dia  |
| 225                      | 2 pallets various ACO kerb drains etc  |
| 226<br>227               | 4x various diameters Marshalls Stanton concrete channel / manhole lids   |
|                          | Equipment Located at: Bungay, Suffolk  |
| 228                      | MHP MT65 CNC bed lathe, GE Fanuc OT control, 12 station tool turret, powered tail-stock, 500mm dia swing,  |
| 229                      | 250mm 3 jaw chuck, 12 station VDI Turret, tailstock, swarf conveyor, 65mm bore, 4500rpm  |
|                          | Equipment Located at: Banbury, Oxfordshire   |
| 230<br>231               | Mega Machine BS-250HAS automatic horizontal bandsaw (2011)   |

| LOT                             | DESCRIPTION  |
|---------------------------------|--|
|                                 | Equipment Located at: Runcorn, Cheshire  |
| 232                             | 40ft shipping container with twin electric roller shutter doors  |
| 233<br>234<br>235<br>236<br>237 | 40ft shipping container with twin electric roller shutter doors  |
|                                 | Equipment Located at: Corby, Northamptonshire  |
| 238                             | 2x blue upholstered wooden frame reception chairs  |
| 239                             | 2x wooden coffee tables, 1000x580mm  |
| 240                             | White 1200mm dia meeting table with black upholstered swivel chair   |
| 241                             | Maple effect L-shape office desk, 1600x1200mm with 2x pedestal units   |
| 242                             | White wooden 2 door multi-shelf storage cupboard, 780x1800mm   |
| 243                             | Beech effect L-shape office desk, 1600x1200mm with grey upholstered swivel chair   |
| 244                             | 3M TR-300 Versaflow battery operated air pump & mask   |
| 245                             | Super Handy GBT002 disinfectant sprayer, 12L cap, 8m coverage, 240v  |
| 246                             | Metal frame wooden top workbench, 1000x2350x1000mm approx.   |
| 247                             | Contents of office inc: 3x various office desks, bookcase  |
| 248                             | Bisley grey metal 2 door storage cupboard, 920x1800x460mm  |
| 249                             | Metal wall mounted 16 compartment storage unit, 480x920x150mm  |
| 250                             | 2x Sealey multi-drawer tool chests   |
| 251                             | John Brown Cumberland 18/36 gran granulator, 45kW (main shaft bearing fault)   |
| 252                             | Polstore 12 drawer tool cabinet, 640x1460x700mm inc: various seals, gaskets, bearings, pins etc  |
| 253                             | Qty various hand tools inc spanners, sockets, saws etc   |
| 254                             | Bosch GBH-2-28 DV 110v hammer drill, Metabo 110v angle grinder, transformer, 240v extension reel   |
| 255                             | Machine mover set inc: 2x 10T hydraulic Jacks, 2x rear skates, 1x Steerman 5T front steering skate   |
| 256                             | Metal forkable stillage inc: various lin bins / storage bins   |
| 257                             | Metal forkable stillage inc: various lin bins / storage bins   |
| 258                             | Industrial truck LHM230 manual pallet truck, 2300kg cap (2016)   |
| 259                             | Industrial truck LHM230 manual pallet truck, 2300kg cap (2016)   |
| 260                             | Industrial truck LHM230 manual pallet truck, 2300kg cap (2016)   |
| 261                             | Industrial truck LHM230 manual pallet truck, 2300kg cap (2016)   |
| 262                             | Ameise HP/ESR-E555-11 manual pallet truck inc: digital scales, 2000kg cap  |
| 263                             | Ameise HP/ESR-E555-11 manual pallet truck inc: digital scales, 2000kg cap  |
| 264                             | Metal workbench with light, 2000x2000x800mm, Metal workbench, 900x500x2000mm   |
| 265                             | Rohde & Deiwick model CM420 thermo-forming machine, 500mm wide capacity with control panel & spares, s/n 003 <b>(2000)</b>   |
| 266                             | Rohde model CM420 thermo-forming machine, 500mm wide capacity with control panel & spares, s/n 1812234<br>( <b>2016)</b> with Shini STM mould heater <b>(2010)</b> & Getecha RS3006 granulator |
| 267                             | 9x blue metal multi compartment lockers, 410x1970x410mm  |
| 268                             | 3 step aluminium steps   |

| LOT                                    | DESCRIPTION   |
|--|---|
| 269                                    | 12x various mobile production tables  |
| 270                                    | PWG Pollet water group water softener system inc: pump, storage tank etc (2020)                       |
| 271                                    | Comarme Ronda 3000 pallet stretch wrapping machine (2007)   |
| 272                                    | 7x orange / grey 3 compartment lockers, 1200x2000x500mm   |
| 273                                    | 5x orange / grey 3 compartment lockers, 1200x2000x500mm   |
| 274                                    | 9x various single door / multi door lockers   |
| 275                                    | 4x various blue / grey single door lockers  |
| 276                                    | Beech effect meeting table, 1000x2000mm, Bisley cream / brown 2 door storage cupboard, 920x1800x450mm |
| 277<br>278<br>279<br>280               | Ekwo metal single door storage cupboard, 450x450x450mm  |
|  | Equipment Located at: Manningtree, Essex  |
| 281<br>282                             | Palamine Press-Multi-1000-01 100 ton press, lift table & Heiza thermal heat transfer system           |
| 202                                    | Equipment Located at: Doncaster, South Yorkshire  |
| 283<br>284<br>285<br>286<br>287<br>288 | C&W Specialist Equipment SF/200 salt spray cabinet, Gefran 400 temp controller with water purifier    |
|  | End of On-Line Auction Sale   |

#### **ROAD / COMPOUND**

Qty various Marshalls 2100 concrete channels tops / lids, concrete drainage rings, steel drainage boxes, various size rubber feet, concrete kerb edging, saddle flanges, ducting, connectors, kerb drains, concrete edging, concrete gully channels, manhole lids etc

Manchester

Bristol

Cardiff

Liverp







Buyers premium of 15.5% + VAT (at current UK rate) will be charged in addition on all lots. (Exported items: Applicable VAT may be refunded on production of satisfactory shipping documents)

#### **IMPORTANT NOTE:**

All information supplied by the auctioneer in promotional material, catalogues etc. is provided in good faith but may not be correct. No liability is accepted by the auctioneer or their Clients for incorrect information and it is the responsibility of the purchaser to satisfy themselves by physical inspection with regard to: General description, measurement, location, age, general conditions, environmental or health and safety conditions, removal requirements etc.

> www.ppauctions.com All purchasers who do not inspect are deemed to have waived the right to this facility and all sales are deemed to be 'as inspected' and 'as is, in situ.'

Any bid is accepted on the above basis only and all terms are governed by English law.

#### PHOTOGRAPHIC IDENTITY, ADDRESS & NATIONALITY MAY **BE REQUIRED FOR VIEWING**

Peaker Pattinson (Auctioneers) Ltd reserve the right to sell equipment prior to the sale.

PLEASE NOTE: ACCEPTANCE OF **OFFERS AND SUITABILITY OF** PURCHASERS FOR SOME OR ALL OF THE EQUIPMENT IS AT THE EXCLUSIVE **DISCRETION OF THE VENDORS.** 

# Peaker Pattinson (Auctioneers) Ltd

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE England Tel: +44 (0)1778 590111 Fax: +44 (0)1778 590730 Email: info@ppauctions.com