AUCTION CATALOGUE

December Collective

By order of: Various Broadcast, Electronic & Studio Companies

AUCTION DATE: THURSDAY 4th DECEMBER 2025



















VIRTUAL / PHYSICAL VIEWING: TUESDAY 2nd DECEMBER 2025 At: PP Saleroom, The Grange Offices, Aunby, Stamford, Lincolnshire, PE9 4EE.







Peaker Pattinson (Auctioneers) Ltd MIR

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE England Tel: +44 (0)1778 590111 Fax: +44 (0)1778 590730 Email: info@ppauctions.com



PURCHASERS NOTES

December Collective - On-Line Auction Sale Bidding Closes From: 9.30pm on Thursday 4th December 2025

VIEWING

Site Access:

Please bring an acceptable form of photographic identification (UK Passport or UK Photographic Driving Licence),

PPE including Safety Shoes will be required to gain access to the site.

(No children under 16 years or animals will be allowed onto the sites)

Virtual / Physical Viewing: Tuesday 2nd December 2025 - BY APPOINTMENT ONLY

At: PP Saleroom, The Grange Offices, Aunby, Stamford, Lincolnshire, PE9 4EE.

ON-LINE BIDDING

- 1) Purchasers wishing to bid for any lot must first register on-line (www.ppauctions.com) and agree to abide by both the specific sale conditions (purchaser's terms) and the general terms & conditions.
- 2) All quantities, dimensions, descriptions & photographs given in the catalogue, placed on the bidding pages or quoted by the Auctioneer are approximate and for guidance only, and no warranties are given or implied.
- 3) Any bid (acceptable to the auctioneer) forms a legally binding contract and the purchaser is responsible for the lot or lots once confirmed by invoice from the Auctioneer. Lots marked '(Delayed Collection)' may be used by the vendor until the release date. N.B. Lots are not transferable.
- 4) VAT is payable at the current rate on all lots and on the Buyers Premium.
- 5) Buyers Premium of 18% plus VAT is payable on the bid price.
- 6) Timing: Lots will close at 30 second intervals starting from 9.30am on Thursday 4th December 2025.

Any bids received on a lot within the last two minutes will extend the closing time by two minutes for that lot.

7) No Hard drives / storage media are included. These will be removed prior to collection.

OTHER BIDDING METHODS

Purchaser's unable to bid on-line may bid by the following methods:-

- A. Proxy Bids all bids must be submitted to the Auctioneers on our bid form (available on request / viewing day).
- B. Telephone Bids available by prior arrangement with the Auctioneers only (minimum £2,000.00)

N.B. Bidding by any of the above methods forms a legally binding contract whether or not the lots have been viewed and regardless of any descriptive errors. Buyers Premium is still payable.

PAYMENT

1) Payment must be made in full within 3 Days upon receipt of invoice. A 20% deposit is required on delayed items. Invoices will be emailed within 3 working days of the final lot closing. Payment can be made by the following:-

a] BACS / CHAPS Payment (preferred method) b] On-Line UK Debit & Credit cards Only: £500 Limit (+3% admin fee) Title of the goods remains with the vendors until cleared funds have been received.

REMOVAL

N.B. GOODS MAY ONLY BE COLLECTED AFTER CLEARED FUNDS HAVE BEEN RECEIVED AND ON PRODUCTION OF: THE ORIGINAL COLLECTION NOTE.

Clearance (latest covid-19 guidelines to be observed):

All lots must be removed between MONDAY 8th & WEDNESDAY 17th DECEMBER 2025 (12.00noon).

Due to the nature of the site, lots must be removed by prior appointment only (at least 24 hours notice - Tel: 01778 590111). Dates for clearance are Weekdays only (Excluding Bank Holidays).

Times for clearance are 9.30am to 4.30pm Monday to Thursday & 9.30am to 12.00Noon Friday.

Where relevant risk assessments, method statements, removal plans, timing details, etc. must be supplied to the Auctioneers for their approval prior to any work commencing on site.

Where removal of equipment involves structural work "making good" will be the purchasers responsibility (BTMG).

Please Note: Certain machines may have to be removed by approved contractors only.

Loading:

All Lots are deemed to be purchased 'where they are situated' and in 'the condition as viewed'. All Preparation/ Dismantling/Slinging/Lifting/Transportation etc. of the equipment is the exclusive responsibility of the purchaser.

No containers can be loaded on site without 5 working days notice & prior written approval from the Auctioneers. Personnel / Equipment:

All personnel intending to operate lifting / moving equipment on site must first produce to the Peaker Pattinson supervisor - current UK operating licenses - current UK equipment certificates and proof of all relevant UK insurances. They will be expected to work to The Vendors, Peaker Pattinson (Auctioneers) Ltd and current Health & safety regulations and may be ordered off the site at any time for breach of these regulations.

Peaker Pattinson (Auctioneers) Limited

TEL: +44 (0)1778 590111 FAX: +44 (0)1778 590730 E-mail: info@ppauctions.com



TERMS & CONDITIONS

- 1. Every Sale and these conditions of sale shall be governed by and construed in accordance with English Law and shall be subject to the jurisdiction of English Courts.
- 2. The Company acts as Principles in respect of goods offered for sale and herein shall be known as the 'Auctioneers'. Persons instructing the Company to sell goods are herein known as the 'Clients'. Persons who have acquired lots offered for sale by the Auctioneers are herein known as the 'Purchasers'.
- 3. All persons attending a Sale under the conduct of the Auctioneers whether on viewing day, sale day, or to remove equipment at the sale rooms or any other site shall be deemed to be on the land and premises at their own risk and shall have no claim against the Auctioneers or their principals in respect of the cancellation / postponement of a Sale or any loss, accident or injury, however occasioned, save in so far as the same is proven to be caused by the direct negligence of an employee(s) of the Company.
- **4.** The Auctioneers make every reasonable effort to ensure the accuracy of the Advertisements, catalogue / on-line descriptions, photographs and other publicity but except where specifically instructed so to certify by a Client, declare that all statements, oral or in writing, are those of opinion only, made without responsibility and shall not give rise to any action in law for damages, compensation or rescission of sale by a Purchaser, against any Client, the Auctioneers or their employees.
- 5. Many lots are of an age or nature, which preclude their being in pristine condition. Some catalogue / on-line descriptions may make reference to damage and / or restoration; however, omission of such a reference does not imply a lot is free from defects nor does any reference to a particular defect imply the absence of others.
- **6.** Purchasers should therefore satisfy themselves by physical inspection of lots, before bidding, as to the origin, authenticity, quality, quantity, age, weight, size and general description as lots are sold in their actual state with all faults, imperfections or errors of description & photographs. Any discrepancy over lots must be notified to the Auctioneers prior to removal.
- 7. Electrical / Mechanical goods are sold on the strict understanding that these are untested, without warranties or any guarantees as to serviceability or working order.
- 8. Persons handling lots do so at their own risk and shall make good all loss and damage howsoever sustained; such estimate of cost to be assessed by the Auctioneers whose decision shall be final.
- 9. In making a bid, Purchasers acknowledge their attention has been drawn to these Conditions of Sale and that they are satisfied as to the description, photographs and condition of lots.
- 10. Lots are sold subject to any announcement, declaration, alternation of description or other matters, made by the Auctioneers prior to the closure of the lots.
- 11. At the fall of the hammer, due Tender Date or on-line lot closing, the highest bidder, acceptable to the Auctioneers, shall be deemed to be the Purchaser. In all cases including on-line technical problems, any dispute shall be settled by the Auctioneers, whose decision shall be absolute and final. No lots shall be transferred.
- 12. The Auctioneers my divide, combine, add to or withdraw lots and make any catalogue alterations without notice or reason; they shall regulate bidding, accept or reject any bid (at their absolute discretion and without justification) and bid on behalf of the Client, where there is a reserve price or at their authorised discretion.
- 13. The Auctioneers shall not be responsible for default on the part of Clients or Purchasers. Any resultant deficiency, together with interest, costs and expenses, shall be made good by the defaulter, recoverable as and for liquidation damages. This condition is, however without prejudice to the right of the Auctioneers, in appropriate circumstances to enforce the Sale Contract if they think fit.
- **14.** The Contract of Sale is made with the Auctioneers as Principal Agents for the Client and payment shall only be made to them. Notwithstanding the foregoing, the Auctioneers shall retain a lien on all goods, which shall not pass to the Purchaser until full payment has been received.
- **15.** Payment must be made in full to the Auctioneers within 3 days of receipt of invoice by bank transfer (BACS / CHAPS preferred method) or by UK debit cards for invoices up to £500 only; and goods will not be released / title of the goods will remain with the vendors until cleared funds have been received.
- **16.** At the fall of the hammer or on acceptance of the Tender, Private Treaty or on-line auction, all lots shall be and remain, in every respect, at the absolute risk of the Purchaser, including those of fire, burglary, etc. and damage occasioned to lots by the removal of other goods.
- 17. Lots marked '(Delayed Collection)' may be used by the Client until the agreed release date. No responsibility will be taken for 'wear & tear' however breakages will be made good by the Client.
- 18. Purchasers shall pay for and remove lots at their own risk and expense within the specified period following the sale; after such time the Auctioneers reserve the right to scrap, or to resell uncollected lots with no refund being made to the purchaser. In addition they shall be subject to a daily charge per lot to cover storage, loading, transport, etc. and where applicable, interest on outstanding accounts will be levied at 4% above Barclays Bank Minimum Lending Rate. In all cases, the Auctioneers may act without notice and any incidental expenses incurred (including building clearance, penalty clauses etc.) will become a liability to the defaulter.
- 19. All bidders must be over the age of 18 years old and must have the express authority of the company or body to bid on their behalf. The Auctioneers reserve the right to refuse the highest bidder confirmation of purchase of any lot without reason or justification.
- **20.** The Auctioneers reserve the right to cancel, postpone or re-run an on-line auction / tender in whole or part without reason or justification.
- 21. HEALTH AND SAFETY AT WORK ACT 1974 [Section 6(8)] Purchasers must take all necessary steps to ensure that equipment purchased is safe and without risks to health when it is re-installed, re-used, cleaned or maintained by a person at work. By accepting these terms and conditions the Purchaser agrees to relieve the Auctioneer and their Clients of any liabilities under section 6(1)(a) or 6(1A) of the Act, and accept that failure to facilitate all necessary safety requirements before taking the equipment into service may render the Purchaser liable to prosecution and / or a fine of up to £20,000 on summary conviction. (Note: It is a UK legal requirement that before work equipment can be taken into use it must comply with the Provision and Use of Work Equipment Regulations 1998 and any other relevant legislation).

LOT **DESCRIPTION** Thursday 4th December 2025 - starting 9.30am Equipment Located at: PP Saleroom, Aunby, Lincolnshire HP 37732A telecom / datacom analyser 2 Tektronix 11201 digitising oscilloscope 3 HP 54501A digitising oscilloscope 4 Solartron 1250 frequency response analyser 5 JDSU HPS inspection system inc: FBP microscope, visual fault finder etc in carry case 6 Chase Electronics CDN-1000-150-50 adapter kit in case Collins HF PWR200 power amplifier 7 Collins AAC-200 TSO HF antenna coupler 8 9 Collins CTS-201 HF antenna coupler 10 AGL Corporation EAGL2 electronic laser level with equipment in case 11 AGL Corporation EAGL2 V2 electronic laser level with equipment in case Tecan HS400 hybridisation microarray system / station 12 13 4x Sonatest CH500 battery chargers, 17v, 50W 3x Sonatest CH500 battery chargers, 17v, 50W Robin KTS1630 advanced digital multi-function tester in carry case 16 Rigel 277 PAT tester 17 Avo Megger DVF/3 PAT tester 18 Avo Megger DV/3 PAT tester 19 UPS RBC 43 battery pack 20 Siemens 10569190 MRI filter 21 2x Sick C4C-SA09010A10000 deTec4 core safety lighting bars Applied Biosystems 759A absorbance detector 23 Zebra 150SL label printer 24 Agilent J6801B-IAC distributed network analyser 25 JDSU QT-600 Ethernet test head inc: 2x Exterity tridaptors 26 Snell & Wilcox ARC 125L aspect ratio converter 27 Tektronix SPG-271 PAL sync generator Sony RDR-GXD360 DVD recorder, Kazuki DVD-7400X DVD player, Sony RDR-GX300 DVD recorder, Thomson DTH700 DVD recorder 29 Avitel MPS 3035 frame with plug in cards inc: VDA3100, VSW3254, ADA3210G, ADA3232, Drake PD7024 30 Courtyard CY430 SPG+ pattern generator 31 Bose 802-C system controller 32 Kramer VS-101AV 10x1 video / audio-stereo switcher, Kramer VM-10ARII video audio distribution amplifier 33 Qty various mini shutter camera control, scart adapters etc 34 RR Beard broadlite 1000 studio light RS 610-001 Pantec PAN-3001 voltmeter 35 36 Sony DSR-570WSP digital camcorder body inc: Sony DXF-801ce viewfinder 2x retractable lighting tripods, 900-2300mm

LOT	DESCRIPTION
38	2x retractable lighting tripods, 900-2300mm
39	2x various microphone stands
40	2x Konig KN-LS10 retractable tripods, 700-1900mm
41	IANIRO 1000W studio light
42	Sony BVH-2000PS reel to reel videocorder
43 44	Rane AVA22 audio / video alignment delay
45	Quartz Topaz digital video router, Brick house video neptune, Sony MEU-WX1 monitor control, Leitch video frame inc: 2x VSM-6804, 4X dec6800+D cards, Raycom RTB400X Series controller
46	Link L1 100 camera slave unit
47	Apple 24" iMac M1, 512GB SSD, 16GB RAM with PSU, 2449 keyboard & mouse, s/n CO2JG1JMQ6X3 (boxed)
48	Apple 24" iMac M1, 512GB SSD, 16GB RAM with PSU, 2520 keyboard & mouse, s/n CO2JG1BNQ6X3 (boxed)
49	FOR.A HVS-100 Hanabi 12 input 3G HD/UHD vision switcher frame with 4 input cards in slot 1 & FOR.A HVS-100OU panel & PSU
50	Red Epic MX camera kit in aluminium transit case inc: Red Pro 5" LCD touch screen, Red Epic MX body, Red side handle, Red Bomb EVF, Redmote, Red Pro handle assembly, 4x Redmag124GB solid state drives, Red Pro Redmag case, Red DSMC universal base plate quick release, Hawk Woods V-Lok power plate on 19mm bar mount, 2x 19mm bars, 2x Red 19mm bar mount with 4x M4 wingnut screws, Red 15mm bar mount with 2x M4 wingnut screws, Berkleys Systems 15mm bar mount with Stubby 15mm bar, 1/4x20" fit Noga arm, Dovetail base plate, 2x 19x455mm bars, Red station for Redmag 1.8, 90* Lemo FHG.1B to 90* Lemo FHG.1B, 90* Lemo FHG.1B to Lemo FGG.1B, Lemo FGJ.1B to Lemo PHG.2B, V-Lok to Lemo FGG.2B, Lemo GFF.00 to 3x BNC = TC/SYNC/TRIGGER, Torx 10x80 screw driver, 19mm bar mount, top vent plate back, side handle port cover, Redmag side port cover, Redvolt travel charger, 4x Redvolt batteries etc
51	Dawson Tooway KA-Sat GC-Zero 70K Satellite Dish/Antenna with Dawson Electronics auto pointer, KA SAT modem, Mini Ethernet router, 2x 12v AC-Adaptor
52	Mincaster NewsSpotter Satellite Dish with Tria & heavy duty motorised system, control
53	DTL Chassis with twin redundant power supply, 2x MiniBlox, 4430+ composite analogue to SDI ADC, 3x MiniBlox 4432+ universal analogue to SDI
54	Tektronix 7903 oscilloscope
55	HP 8568A spectrum analyser & display
56	Tektronix 7623A oscilloscope
57	Tektronix 2245A oscilloscope
58 59	Smartlink Smartpack dimmer pack, 28.8kW
60	
61	HP 3478A digital multimeter (K311)
62	Tektronix TM5003 mainframe with 2x AM 5030 programmable amplifiers (K314)
63	Agilent J2127A transmission test set (G47)
64	Anritsu MD6420 A5 data transmission analyser with MDO 663A, MDO 626A, MDO 621A5, MDO 620A (G84)
65	Fluke 8050A digital multimeter (K234)
66	Fluke 8050A digital multimeter (K235)
67	GAY-Milano Easy Watt digital watt meter, 30Hz-100kHz (K301)
68	HP 11720A pulse modulator, 2-18GHz (K223)
69	National VP4052A electronic counter, 10Hz-150MHz (K239)
70	National VP4052A electronic counter, 10Hz-150MHz (K238)

LOT	DESCRIPTION
71	HP 5383A 500MHz frequency counter (K179)
72	Blackstar 1325 frequency counter
73	Infratek model 301A 3 phase watt meter (X137)
74	Soar 2720 energy monitor with 2x CA200 current probes & leads in black carry case (K309)
75	Micromovements M2200-8 chart recorder with 6x M2270 input modules (G48)
76	Sullivan C8003 reference standard capacitor, 1000pF (G190)
77	Tritec Fase 11 fusion splicer with HS0100 oven & PSU in bag (R549), Tritec Fase 11 fusion splicer with HS011 oven & PSU in bag (R548)
78	Alenia/Marconi 2137 portable ILS with leads (G27)
79	Bradley 1671M earth bonding tester with manual in green bag (T312)
80	Casella MX21 Multigas detector with accessories (boxed) (A269)
81	HP 3400A millivoltmeter (K131)
82	HP 3400A millivoltmeter (K132)
83	Marconi 6460 power meter with 6422 powerhead with 6237/1 adapter & front cover (K224)
84	Feedback DPM 609 digital phase meter (K237)
85	Farnell 2085 AF power meter (G144)
86	HP 8011A pulse generator (K32)
87	Rohde & Schwarz PTM digital thermometer with W110 probe (K57)
88	Hameg HM 8001 dual mainframe (K222)
89	Avo 8 mark 5 multimeter in black carry case (K134)
90	Ortec Brookdeal 9452 precision AC amplifier (K63)
91	Tektronix 453 50MHz dual trace oscilloscope with front cover & manual (G136)
92	2x Decade resistor boxes (K102)
93	HP Calan STAR 2010 SLMS (HP85906) (G45)
94	Kenwood VT176 2 channel AC millivoltmeter (K175)
95	Kenwood VT176 2 channel AC millivoltmeter (K174)
96	Bruel & Kjaer type 1022 frequency oscillator, solid state version (K218)
97	Tektronix 1502 TDR cable tester with front cover & accessories (J121)
98	Tektronix 1502 TDR cable tester with front cover & accessories (J120)
99	Carroll & Meyell isolating transformer, 240v in - 240v out, 500vA (J147)
100	Jenstar isolating transformer, 240v in - 240v out, 500vA (J145)
101	Jenstar isolating transformer, 240v in - 240v out, 500vA (J146)
102	Vintage Avo 8 multimeter in Avo leather case (J152)
103	Dawe 1419A sound level meter (vintage) in leather case (J59)
	HP 8954A transceiver interface (K273)
	HP/Agilent E2500A K02 upconverter, 0.1-18GHz (G124)
	HP 3497A data acquisition control unit with 44425A & 4x 44421A spare cards (K53)
	8242 sine wave inverter, 10.8-14.4V DC input, 240V, 100VA, AC output (K230)
	2x HP/Agilent 11713A attenuator switch driver GPIB (K278)
109	Datron 1061 auto cal digital multimeter, opt 10, 20, 41, 50, 90, GPIB (K316)

LOT	DESCRIPTION
110	HP 3455A digital voltmeter (K272)
111	Circuit Mate UC10 universal counter (K220)
112	Circuit Mate UC10 universal counter (K221)
113	Leader LCD 9043 frequency counter (K204)
114	HP/Agilent 8116A pulse / function generator (K121)
115	HP/Agilent 8116A pulse/function generator (K27)
116	HP 5004A signature analyser with probe, pod & grabbers (K164)
117	HP 3465B digital multimeter (K167)
118	TTI TSP 3222 programmable PSU twin output digital meters (K127)
119	TTI TSP 3222 programmable PSU twin output digital meters (K128)
120	Kistler type 5007 charge amplifier & 4601 piezoresistive amplifier (K227)
121	Kistler type 5007 charge amplifier & 4601 piezoresistive amplifier (K226)
122	Dielectric model 5150 RF termination, 150W, 500 ohms (K288)
123	Dielectric model 5150 RF termination, 150W, 500 ohms (K287)
124	Tektronix TM501 with DM 505 digital multimeter plug in (K308)
125	Tektronix TM501 AM503 current probe amplifier (K315)
126	Tektronix TM501 with DM 501A digital multimeter plug in, 4.5 digit (K307)
127	Racal 9901 universal counter timer with probe (K48)
128	Racal 9008M modulation meter AM/FM (K190)
129	Racal 9008M modulation meter AM/FM (K189)
130	Racal 9901 universal counter timer (K47)
131	Racal Dana 9902 universal counter timer (K49)
132	Data precision 5740 counter (K66)
133	Blackstar Orion pattern generator, video/RGB out (K200)
134	Racal V-store recorder
135	Farnell PG 102 pulse generator (J22)
136	Farnell PG 102 pulse generator (J23)
137	Farnell PG 102 pulse generator (J24)
138	Bradley 156 oscilloscope calibrator with manual (G214)
139	Wavetek 185 5MHz sweep generator, sine square triangle ramp (K45)
140	3x Neutrik RT-1M audio analyser, 2 channels (K274)
141	Symmetricom 4059B distribution amplifier, 15 outputs (X25)
142	Rapco 1876C frequency distribution unit, 5MHz, 14 outputs (X26)
143	Quantum data OPIX imager (T188)
144	Wayne Kerr (Farnell) AP100 90A power supply, 0-100v, 0-90A, 3kW (E71)
145 146	Marconi 2851 digital comms analyser & 2850 digital transmission analyser (E215)
147	
148	Racal Acoustics Atlantic RA155/2004 headset (G149)
149	Sullivan F9102 isolation transformer (K284)

LOT	DESCRIPTION
150	Kay 860 attenuator, DC-1.5 GHz, 50 ohms (J38)
151	Kay 860 attenuator, DC-1.5 GHz, 50 ohms (J37)
152	Kay 860 attenuator, DC-1.5 GHz, 50 ohms (J39)
153	5x HP/Agilent 10833A HPIB/GPIB cables (G102)
154	5x RS 489-813 HPIB/GPIB cables (K185)
155	Avo 8 mark 5 multimeter in black carry case (K133)
156	5x RS 489-813 HPIB/GPIB cables (K183)
157	Weir 442 Majoreg PSU, 0-60v, 0-1A (J7)
158	Weir 442 Majoreg PSU, 0-60v, 0-1A (J8)
159	Racal Dana 9921 UHF frequency counter, 10Hz-3GHz (J21)
160	Scientific Atlanta SA390 dynamic signal analyser, 2 channel with manual & discs in black padded bag (G85)
161	3x carry / flight cases (<i>unused</i>) (J58)
162	RTT 100/58R line test set (K38)
163	RTT 100/58R line test set (T105)
164	Bradley 132 DC current calibrator (G213)
165	Philips PM6654C programmable high resolution timer / counter (E20)
166	HP / Agilent 6624A 4 output PSU, 2x 0-7V, 0-5A or 0-20V, 0-2A, 2x 0-20V, 0-2A or 0-50V, 0-0.8A (A217)
167	Robin 5308 temperature chart recorder with chart paper (boxed & unused) (J119)
168	Robin 5313 DC voltage chart recorder with chart paper (boxed & unused) (J118)
169	HP 3497A data acquisition control unit with 2x 44421a & 3x 44428A, plus spare cards & manual (K55)
170	Marconi 2200326 precision high directivity bridge, 2-18GHz in wooden box with adapters (K244)
171	Narda precision reflectometer coupler 3.7-8.3GHz in wooden box (K243)
172	Narda Microline 5075 precision reflectometer coupler, 7-12.4GHz in wooden box with adapter (K242)
173	Powerline LAB 502 PSU, 0-30v, 0-2A (J15)
174	HP 435A power meter (no sensor) (J18)
175	HP 435A power meter (no sensor) (J17)
176	HP 435A power meter (no sensor) (J19)
177	HP 435A power meter (no sensor) (J20)
178	Farnell E30/1, 0-30v, 0.5A or 0-15v 1A (J11)
179	Farnell D30 2T dual PSU, 0-30v, 2A twice (J13)
180	Millbank LZM1000 audio test set with leads (J79)
181	Murray Pro pico program level meter (J77)
182	Dilog RC-24 RCCB tester with instructions (boxed & unused) (J142)
183	Rish Max 14 digital multimeter with true RMS, leads & manual (boxed) (J101)
184	Rish Multi 15S digital multimeter, auto ranging with manual (boxed) (J102)
185	Agilent E8358A PNA Series network analyser, 300kHz-9GHz with keyboard & mouse (J117)
186	HP/Agilent 8712ET RF network analyser, 300kHz-1300MHz (J57)
187	Terrasonde Audio Toolbox audio test set with accessories & manual in hard carry case (J72)
188	Neutrik RT-1M audio analyser, 2 channels (K276)

LOT	DESCRIPTION
189	Neutrik RT-1M audio analyser, 2 channels (K277)
190	HP 4815A RF vector impedance meter with probe (K216)
191	HP 8568B spectrum analyser, 100Hz-1.5GHz with linking cables (K111)
192	HP / Agilent 85330A multiple channel controller with E1369A, E1330B & 85330-60002 modules (E128)
193	Ex MOD transit case for Marconi 2955B, 600x520x220mm (G225)
194	Ex MOD transit case for Farnell AP 60-50, 600x520x220mm (G229)
195	Ex MOD transit case for Farnell AP 60-50, 600x520x220mm (G231)
196	HP/Agilent 33313C coaxial switch, DC-26.5 (boxed & unused) (J34)
197	HP/Agilent 33313C coaxial switch, DC-26.5 (boxed & unused) (J33)
198	Bird 100-SA-MPN-03 100W attenuator (boxed & unused) (J35)
199	Bird 100-SA-MPN-03 100W attenuator (boxed & unused) (J36)
200	3x Beckman HD 110 digital multimeters (J132)
201	Seed Studio-RF explorer, handheld spectrum analyser with aerial (boxed) (J81)
202	HP 537A frequency meter (J110)
203	HP/Agilent 8492A coaxial attenuator, DC-18 GHz (boxed & unused) (J31)
204	HP/Agilent 8492A coaxial attenuator, DC-18 channels (boxed & unused) (J32)
205	RS 611-953 low ohm meter with leads in black carry case (J137)
206	Promax FM & TV level meter with manual in carry case (J60)
207	Anritsu MN 924A optical attenuator (J150)
208	HP 8447A amplifier, 0.1-400MHz (J4)
209	Delristor Loopcal 0705x calibrator with manual & leads in black case (J143)
210	Macam L103 photometer in black case with accessories (J161)
211	Wallis Hivolt DCM30/4A EHT voltmeter, 0-30kv with probes lead & manual in case (J133)
212	Macam L103 photometer in black case with accessories (J162)
213	Wallis Hivolt DCM30/4A EHT voltmeter, 0-30kv with probes lead & manual in case (J134)
214	Sencore SP395 Sound Pro audio integrator with accessories & cables in black carry bag (J74)
215	2x Adams & Russell test cables in wooden box, 1x 2026 & 1x 2026-0036 (K334)
216	HP/Agilent 8757C network analyser with 4x 11664A detectors (J45)
217 218	Philips PM8141 X-Y analogue recorder (J50)
219	
220	HP 1121A 500MHz AC probe (J131)
221	Meisei Corp Hot weezer with wire stripper
222	Amplifier Research FP1000 isotropic field probe, 10kHz-1000MHz (J163)
223	Amplifier Research FP1000 isotropic field probe, 10kHz-1000MHz (J164)
224	7x Ideal GG-45 network adapters for Lantek
225	10x Agilent 01650-63203 termination adapter connectors
226	3x Banner Engineering QM42VT2QP light meters
227	3x Banner Engineering QM42VT2QP light meters
228	JDSU P5000I fibre inspection microscope

LOT	DESCRIPTION
229	Acterna 155/622 SM interface module
230	3x Chavin Arnoux A193B AC current probes
231	Viavi Trilithic Seeker HL digital leak detector & transmitter in case
232	50x Samtec QFS-052-04.25-L-D-PT8 high speed power socket strips (boxed)
233	5x Spacecom HF12M fixed focal lenses, 1/2"C, 12mm F1.2 (boxed)
234	5x Spacecom HF6M fixed focal lenses, 1/2"C, 6mm F1.2 (boxed)
235	6x Spacecom HF12M fixed focal lenses, 1/2"C, 12mm F1.4 (boxed)
236	10x SM-Energy SM206 batteries for Agilent N9917A, N9330, N9330B, N9938A
237	10x Murr Profi Bus D-71570 modules
238	2x Keysight N2849A InfiniMax quick tips
239	5x Mini-Circuits VLF-2850+ low pass filters
240	5x Agilent BNC male to SMA female connectors
241	2x Avo Megger B131 dual display LCR meters
242	Agilent Version 5 high speed demo board in case
243	6x Integrated Engineering BAL-INM4 BALUN
244	Agilent N2918B Infinivision evaluation kit in case
245	Agilent N2918B Infinivision evaluation kit in case
246	Agilent N2918B Infinivision evaluation kit in case
247	Westover JDSU fibrecheck fiberscope FBP
248	Keysight E4991B-007 temperature characteristic test kit
249	Agilent Y1181A Keysight PXI connector clock, 78 pin terminal
250	Agilent Keysight E2677A InfiniMax differential solder in probe
251	Metalwork Syntesi 3 stage breathing sir filter regulator
252	Festo PR235178 steyerblock inc: VDA-1/4i 555894, 555893 Logopak
253	5x Sonicon 35 ultrasonic converters
254	5x Sonicon 35 ultrasonic converters
255	5x Sonicon 35 ultrasonic converters
256	5x Sonicon 35 ultrasonic converters
257	5x Sonicon 35 ultrasonic converters
258	5x Sonicon 35 ultrasonic converters
259	Automation L20 J3 multi voyage electric actuator
260	Glensound GSIU-ISDN 4 codec
261	Glensound GSGC6 twin ISDN codec
262	Crown CT16S 16ch amplifier switcher
263	Evertz 3000MVP-OV-3CHS module
264	20x Evertz 7700IDA8-3G rear modules
265	20x Evertz 7700DA7 rear modules
266	15x Evertz 7700DA rear modules
267	30x Evertz 7700R2X2-HES rear modules

LOT	DESCRIPTION
268	Pair KEF Caprice II SP3001 speakers, 100W inc: speaker stands
269	Robin electrical tester set inc: KMP-4120 digital PSC-100P tester, 3131 insulation-continuity tester, KMP-5404 digital RCD (elc8) tester in carry case
270	4x SMC XLS-25 high vacuum pneumatic solenoid valves
271	Eckardt SMI983 pneumatic position transformer
272	Audio Technica wireless microphone kit with LO-Z, ATW-T220 microphones, 2x ATW-T161 transmitters in carry case
273	RS 607-550 electronic equipment trolley with drawer & shelf (J167)
274	Del Mar Avionics Hydra-set model C precision positioning equipment (J166)
275	R&S test receiver system inc: ESH3 test receiver, 9kHz-30MHz, ESVP test receiver, 20MHz-1300MHz, EZM spectrum monitor display, ESHZ-Z3 passive probe in blue carry case & R&S PCA-Z1 keyboard with 6 manuals, linking cables & HP 7470A plotter (J1)
276	Marconi 2955B mobile radio test set in MOD transit case with manual (J170)
277	Marconi 2955B mobile radio test set in MOD transit case with manual (J171)
278	Farnell AP 60-50 PSU, O-60v, 0-50A, 1000W, (later white unit) in MOD transit case (J172)
279	Marconi 2955B mobile radio test set in MOD transit case with manual (J168)
280 281 282	Marconi 2955B mobile radio test set in MOD transit case with manual (J169)
	Kmoon FY6900-60M DDS function/arbitrary waveform generator, LCD display (J177)
284	Digimess DM100 digital multimeter (J181)
285	Philips PM2521 automatic dmm with leads & manual (J180)
286	Bruel & Kjaer 1621 tunable band pass filter (J67)
287	Bruel & Kjaer 2425 electronic voltmeter, 0.5Hz-0.5MHz (J62)
288	Bruel & Kjaer 2635 charge amplifier with 2 manuals (J65)
289	Bek 2807 two channel microphone PSU (J92)
290	Bruel & Kjaer 2511 vibration meter (J61)
291	Bruel & Kjaer 2426 electronic voltmeter, autoranging, 0.5Hz-0.5 MHz (J63)
292	Bruel & Kjaer 2429 Psophometer (J66)
293	Bruel & Kjaer 2609 measuring amplifier, 20Hz-20kHz with manual & meter scales (J64)
294	Bruel & Kjaer 2607 measuring amplifier with mains lead & 3x meter scales (J71)
295	Bruel & Kjaer 2608 measuring amplifier with mains lead & manual (J69)
296	Bruel & Kjaer 2610 measuring amplifier with mains lead & manual (J68)
297	Bruel & Kjaer 2607 measuring amplifier with mains lead & meter scales (J70)
298	Thurlby PL320 TGP dual PSU 0-30v, 0-2A twice GPIB (J5)
299	Kemo VBF/14 dual variable filter, 1Hz-100kHz with manual (J56)
300	National Instruments PXI-1006 mainframe with a box of miscellaneous Pickering PXI cables (J111)
301	Goodwill GVT-427 two channel millivoltmeter with manual & lead (boxed & unused) (J43)
302	Goodwill GVT-427 two channel millivoltmeter with manual & lead (boxed & unused) (J41)
303	Fluke/Philips PM 3092 200MHz 2+2 channel oscilloscope with 2 probes & pouch (J159)
304	Racal 9480 time & frequency mainframe, opt 04F, 2x output cards internal, 10MHz, frequency standard (J165)
305	HP 4800A vector impedance meter with 4801A measurement plug in (J54)

LOT	DESCRIPTION
306	Fluke 4250A BCD programmable power source, GPIB (J112)
307	HP/Agilent test cables, 1x 11610B & 1x 85131-60002 (J100)
308	B&K 2203 sound level meter with 4131 mic & cal chart & 1613 filter in B&K case (J75)
309	Thurlby PL310 PSU, 0-30v, 0-1A digital meters (J103)
310	Thurlby PL310 with K1 module, 0-30v 1A, 0-30v 0.5A, 4-6v 3.5A (J106)
311	Thurlby PL320 TGP dual PSU, 0-30v, 0-2A twice GPIB (J25)
312	Megger OTP 610 fibre optic power meter in black carry case (J149)
313	M UP91Y 120v-230v transformer (J88)
314	Sunpower SP1 P300FK 120v-230v transformer (J87)
315	Philips PM6668 high resolution frequency counter, 10Hz-1GHz in plastic carry case (J105)
316	Comark 6130 & Comark 6200 digital thermometers (J109)
317	Farnell L10-3C PSU, 0-10v, 0-3A (J9)
318	Farnell L10-3C PSU, 0-10v, 0-3A (J10)
319	Isotech IDM 201 digital multimeter (J135)
320	Isotech IDM 201 digital multimeter (J136)
321	Weir 4000 dual PSU 0-30v, 2A twice (J12)
322	Nonsonic type 118 sound level meter real time analyser with mic & manual in case (J49)
323	Tekelec Chameleon 22-plus test set in padded bag (J104)
324	Rapid Electronics PAT 25 portable appliance tester in aluminium flight case (J51)
325	Goodwill GVT-427 two channel millivoltmeter with manual & lead (boxed & unused) (J42)
326	Goodwill GVT-427 two channel millivoltmeter with manual & lead (boxed & unused) (J40)
327	Farnell L30-5 PSU, 0-30v, 0-5A (J48)
328	Farnell L30-5 PSU, 0-30v, 0-5A (J47)
329	Marconi 2850 digital transmission analyser (J107)
330	HP 8654B signal generator, 10-520MHz, AM/FM (J114)
331	Farnell DTV 12-14 dual trace oscilloscope (J174)
332	HP/Agilent 437B power meter (no sensor) (J186)
333	GW Instek GFG 8215A function generator (J176)
334	Siglent SDG 1020 function/arbitrary waveform generator (J175)
335	HP/Agilent 5385A frequency counter, LCD display, 10Hz-1GHz (J187)
336	B&K TI0001 input transformer & TV 0005 output transformer with instruction leaflet (J82)
337	CTP DB box2 analogue & AES audio tester (boxed) (J85)
338	CIE (Redcat) ELM-1 loadmaster PA speaker tester (boxed) (J83)
339	Di-Log DL6506 AC/DC clamp meter with manual in case (J96)
340	Klark Teknik 6051 microphone with cal chart in carry case (J84)
341	Dawe 1419F sound level meter in padded bag (J99)
	Premier Farnell Ltd MS7221 volt / ma handheld calibrator with leads & manual in transit case <i>(unused)</i> (J182)
343	Yupiteru MVT-7000 multiband receiver in flight case with accessories & manual (J73)
344	Philips PM2519 auto digital multimeter with leads in wooden box (J183)

LOT	DESCRIPTION
345	Ailtech 13611 precision test receiver (J115)
346	Wavetek 157 synthesised function generator (J55)
347	HP/Agilent 8566B spectrum analyser with display section, 100Hz-22GHz with linking cables (J113)
348	Vintage Cambridge dynamometer ammeter (J138)
349	Fluke/Philips PM 3092 200MHz 2+2 channel oscilloscope with 2 probes & pouch (J173)
350	Wayne Kerr 6425 precision component analyser (multibridge), various frequencies with manual (J46)
351	Solartron 1286 electrochemical interface (J116)
352	Audioscan RM 500SL hearing aid analyser (J86)
353	HP/Agilent 6654A PSU, 0-60v, 0-9A GPIB, LCD display (J26)
354	HP/Agilent 6654A PSU, 0-60v, 0-9A GPIB, LCD display (J29)
355	HP/Agilent 6654A PSU, 0-60v, 0-9A GPIB, LCD display (J27)
356	HP/Agilent 6654A PSU, 0-60v, 0-9A GPIB, LCD display (J28)
357	Wayne Kerr 4250 automatic LCR meter (J187)
358 359	
360	Racal 2101 microwave frequency counter, 10Hz-20GHz (J140)
361	Racal 2101 microwave frequency counter, 10Hz-20GHz (J139)
362	Fluke 8840A bench dmm 5.5 digit (J185)
363	Fluke/Philips PM 6685 300MHz uni frequency counter, opt PM 9626 GPIB (J188)
364	Systron & Donner PQ50-1 PSU, 0-50v, 1A (J6)
365	Fluke 77 Series 2 handheld dmm in padded bag (J126)
366	Fluke 77 Series 2 handheld dmm in padded bag (J127)
367	Fluke 77 Series 2 handheld dmm in padded bag (J125)
368	Fluke 77 Series 2 handheld dmm in padded bag (J128)
369	Philips PM2618X handheld dmm with leads & instructions (J179)
370	Fluke 77 Series 2 handheld dmm in padded bag (J129)
371	5x Fluke 77 Series 2 handheld dmm with 3 padded bags, 2 sets of cable & 1 manual (J130)
372	Voltcraft LCR-300 LCR meter with leads & manual in padded bag (J178)
373	Sennheiser ZP3 impedance meter with leads in case (J78)
374	TMK TEM 2555C insulation/continuity tester with leads in case (J80)
375	Croydon Cropico RBC4 resistance box (J52)
376	Pye resistance box (J53)
377	Vintage 40 Avometer in Avo leather case with genuine Avo leads (J151)
378	HP 6632B PSU, 0-20v, 0-5A (J153)
379	HP 6632B PSU, 0-20v, 0-5A (J154)
380	HP 5328A universal counter/dvm, opt 021 (J3)
381	HP 6274B PSU, 0-60v, 0-15A (J30)
382	HP 70,000 System spectrum analyser inc: HP70001A mainframe with 70902A IF section, 70900A local oscillator, 70904A RF section, 100Hz-2.9GHz & 70206A systems graphic display with linking cables (J2)
383	Bruel & Kjaer 2209 sound level meter with 1616 1/3 octave filter, leads & accessories in B&K carry case (J44)
384	5x Qpar Angus VA/PS.6 phase attenuator (A69)

LOT	DESCRIPTION
385	3x UTL 3000 digital clamp on multimeters & 3.5 digit handheld multitester (unused) (K253)
386	TOA ZM-104 impedance meter in case with leads (J95)
387	Univox FSM 2.0 RMS field strength meter with manual in padded bag (J97)
388	Bek 4393 accelerometer in wooden case with cal chart (J89)
389	Farnell PDA 3502A dual PSU, 0-35v, 2A twice (J14)
390	TTI TSX 3510P programmable PSU, 0-35V, 0-10A, GPIB (J157)
391	TTI TSX 3510P programmable PSU, 0-35V, 0-10A, GPIB (J158)
392	Solartron / Schlumberger 7150+ digital multimeter, 6.5 digit in black carry case (K140)
393	Solartron / Schlumberger 7150+ digital multimeter, 6.5 digit in black carry case (K141)
394	Beamex TC303 temperature calibrator / multimeter with mains adapter, probe, leads & battery pack in black carry case (K149)
395	Solartron / Schlumberger 7150+ digital multimeter, 6.5 digit in black carry case (K142)
396	Kepco MAT 55-14 PSU, 0-55v, 0-14A with manual (boxed & unused) (K269)
397	HP/Agilent 54600B 100MHz oscilloscope with accessories (ex MOD) (J122)
398	Kemo VBF no.8 dual variable filler, 0.01Hz-100kHz (K68)
399	HP/Agilent 5350B microwave frequency counter, 10Hz-20GHz (K129)
400	HP/Agilent 54600B 100MHz oscilloscope with accessories (ex MOD) (J123)
401	HP 6253A dual DC power supply, 0-20v, 0-3A twice (K8)
402	HP 333A distortion analyser (K130)
403	Racal Dana 9104 RF power meter to 1GHz, 0.3W-300W (K193)
404	ShibaSoku VS12 CX video sweep generator (K178)
405	HP 9078 coaxial sliding load (K285)
406	Velleman HPS40 handheld personal scope with probe & manual in case (J76)
407	5x Integrated Engineering BAL-INM4 balun, 50 ohms-100 ohms, 1MHz-350MHz (G106)
408	Pair HP step attenuators, 33321SC & 33321SD, 0-145db, 4GHz (K94)
409	HP / Agilent 6038A PSU, 0-60v, 0-10A, 200W (K3)
410	HP / Agilent 6038A PSU, 0-60v, 0-10A, 200W (K2)
411	RS 180-7127 conductivity meter with probe & manual in case (K296)
412	HP/Agilent 8110A pulse generator, opt 1UNZ with 81106A & 81103A (k115)
413	HP 5340A frequency counter, 10Hz-18GHz (K4)
414	EIP 451 microwave pulse counter, 18GHz (K14)
415	()
416	()
	HP 8405A vector voltmeter with probes (K114)
418	Cirrus CRL 254 sound level meter with calibrator & manuals in black carry case (K158)
419	Isotech IPS 3030A PSU, 0-30v, 0-3A with Micromega temperature controller (K17)
420	PPM 8100 programmable scanner, 8x relay module cards, PPM 8000-100 extension chassis & 10 rear cards (K60)
421 422 423	2x PPM 8000-100 extension chassis inc: 9 rear cards in each (K61)

LOT	DESCRIPTION
424	Bek 2615 pre-amp in wooden case (J90)
425	Bek 2619 pre-amp with JJ2615 adapter in wooden case (J91)
426	Dilog RC-24 RCCB tester with instructions (boxed & unused) (J141)
427	Belco AT-201 decade attenuator, 600 ohms (J98)
428	Leader LAT-45 attenuator (J184)
429	2x Computar VD4.8P video distributor, 4 inputs, 8 outputs (K240)
430	2x Computar VD4.8P video distributor, 4 inputs, 8 outputs (K241)
431	Racal Dana 1998 frequency counter, 10Hz-1300MHz, opt 04A (K181)
432	Racal Dana 1991 universal counter, opt 04T, 10, 55, M (K182)
433	Vintage AVO8 mark 2 multimeter (K267)
434	Universal avo meter
435	2x BT attenuator no.70A, 600ohms (K65)
436	Weir 423D & 413 twin PSU, 0-60v & 0-30v (K26)
437	Weir 461 PSU, 0-30v 2A or 0-15v 4A (K23)
438	HP 5335A universal counter, opt 020, 040, DVM with manual (K97)
439	EIP 545B microwave frequency counter, 10Hz-20GHz, opt 09 (K15)
440	HP 5328A universal counter (K71)
441	Watkins Johnson WJ-3571-1, 2-4GHz TWT amplifier & Varian type VTS-6252B2 amp (K249)
442	Bek 4219 artificial voice with 1/4 inch microphone & manual (J93)
443	Bek 4227 mouth simulator with manual (J94)
444	HP 8660C synthesised signal generator with 86632B modulation section, AM/FM & 86603A RF section, 1MHz-2600MHz with spare 86635A modulation section plug in & manuals (K89)
445	HP/Agilent 75000 Series B E1300A mainframe with 3x E1328A 4 channel D/A converter, GPIB/RS232 (K170)
446	TTI PL310 0-30v PSU digital meters (K18)
447	HP 3465A digital multimeter (K229)
448	HP 436A power meter (no power sensor) (K148)
449	Racal Dana 9918 UHF frequency counter, 10Hz-560MHz (K191)
450	Racal Dana 9918 UHF frequency counter, 10Hz-560MHz (K192)
451	HP 3488A switch/control unit with 3x 44478A 1.3GHz cards (K72)
452	HP 3488A switch/control unit with 2x 44478A 1.3GHz cards (K73)
453	HP 3488A switch/control unit with 2x 44478A 1.3GHz cards (K74)
454	Telquipment D75 vintage oscilloscope, dual trace, 50 MHz, sweep delay (K302)
455	HP 1740A oscilloscope, dual trace, 100 MHz with manual (K113)
456	Blackstar Meteor 100 frequency counter, 5Hz-100MHz (K33)
457	Racal 9906 universal counter timer (K120)
458	Racal 9009 modulation meter AM/FM (K118)
459	Marconi 2440 microwave frequency counter, 10Hz-20GHz (K139)
460	Enertech/Schlumberger 4431/4 20MHz programmable function generator, GPIB (G7)
461	Agilent/HP 3499A switch/control system with 5x 44478A, 1.3GHz, MUX, 50 ohms (K313)
462	Midtronics Micro Celltron digital cell / battery analyser with printer, probes, manual & leads in carry case (K157)

LOT	DESCRIPTION
463	Zenith Electric/Smith Hobson CTH 018771 ratio transformer (J148)
464	Clarke power transformer, 240v in, 110v out, 2,300VA (K123)
465	3M Photodyne Inc 19XT optical attenuator in black case with mains adapter & manual (K247)
466	Unaohm EP760S satellite/TV/FM field strength meter (G76)
467	Tektronix 2815 Opto-scope dual trace oscilloscope, 50Mhz with optical facilities & manual (K152)
468	HP/Agilent 83480A digital communications analyser with 83485B optical / electrical module, 30GHz optical, 40GHz electrical (G71)
469	Tektronix RTD 720A Realtime digitiser (G83)
470	Elgenco 624A gaussian noise generator (K96)
471	HP 436A power meter (no power sensor) (K146)
472	HP 436A power meter (no power sensor) (K147)
473	HP 432A power meter with 478A power sensor, 10MHz-10GHz (K93)
474	Kenwood VT121 AC millivoltmeter (K228)
475	HP/Agilent 54600B 100MHz dual trace oscilloscope, front cover, probes, manual, pouch, interface module (K252)
476	Agilent E4401B ESA-E Series spectrum analyser, 9kHz-1.5GHz in 19" rack case (removable), opt A4H (K321)
477	HP355C attenuator, DC to 1000MHz (K116)
478	Wandel & Goltermann OLP-1 optical power meter, OLA optical attenuator with mains adapter, leads & manuals in grey carry boxes (K248)
479	Kingshill 36V5C twin output power supply, 0-40v, 0-5A twice (K6)
480	HP/Agilent 70843A error performance analyser (K303)
481	Agilent 8960 Series 10 E551C test set, opt 002 (spares or repair) (A71)
482	Farnell DTV 12-14 dual trace oscilloscope (J160)
483	National VP7705 2 channel distortion meter (J124)
484	Rotek 650 high current adapter, option 100A (G143)
485	Fluke 8520A digital multimeter, option 010 (G40)
486	HP/Agilent 4145A semi conductor parameter analyser (G69)
487	HP/Agilent 37717C communications performance analyser with leads (G68)
488	HP 1740A oscilloscope dual trace, 100MHz (K16)
489	Muirhead A-301-B attenuator
490	2x Casella hydrographs with chart paper (J108)
491	HP / Agilent E8401A VXI mainframe with E1406A command module & 12x VXI cards (G232)
492	A-Belco RQ5225/1 power distribution panel, 3 phase to single phase (J16)
493 494	Hotpoint NSVM 743U W UK washing machine, Hotpoint TS11 dryer deluxe, Russell Hobbs RHTTFZ1 fridge
495 496	SBS Solutions DA-IT audio DA
497	CTP Systems FW6000XL 4 wire talkback system
498	EVS X Sense remote control panel
499	Minicaster live HD streaming encoder (boxed)
500	Omni 30.0 WB speaker mount (boxed)
501	RTW 1066 multi monitor

LOT	DESCRIPTION
502	2x XLR patch panels inc: wiring looms
503	Tascam MD-350 minidisc recorder (boxed)
504	HHB Burn-It Plus CDR-830 compact disc recorder inc: remote (boxed)
505	9 boxes HHB DVD-R4 DVDS (boxed & unused)
506	9 boxes HHB DVD-R4 DVDS (boxed & unused)
507	Qty various HHB CDR74 Gold recordable media, HHB MD74 minidiscs etc
508	Studer A807 head
509	Qty various EMT phono cartridges
510	2x Lindy 10m USB3.0 extension kits (boxed)
511	2x Lynx L22 PCI digital audio interface kits (boxed)
512	P&R PB48 phono patch panel, Revox A77 reel to reel, s/n G155122
513	Studer A807 recorder / reproducer, s/n 4704
514	Fujifilm A500, A330 digital camera, Canon DS digital camera
515	Sony HiFi System LBT-D209, turntable tape deck, tuner, equaliser etc (no speakers)
516	Analog patch bay & wiring looms
517	Hama camera tripod in case
518	Pair Pro Sound L63BK loud speakers, 8", 100W
519	PreSonus central station inc: remote
520	Furman M-10X-E rack type power unit
521	Furman M-10X-E rack type power unit
522	Samson Servo 200 amplifier
523	Tascam DA-30 DAT recorder
524	Apogee Rosetta AD stereo 24bit A/D converter
525	The Stereo front end level meter
526	Yamaha SPX990 professional multi effects processor
527	Roland U-220 RS-PCM sound module
528	Nakamichi DR2 cassette deck
529	Uher 4200 report stereo IC recorder
530	Sennheiser MZA MS-1 XLR pre-mic amp
531	4x Lindy CAT6 KVM extender classic receivers
532	Gator protective carry case
533	Gator transit case with Motu 8M 8 mic pre amp, Presonus HP60 inc: remote, Glyph studio raid
534	2x Quiklok speaker stands
535	Yamaha OIV96 digital mixing console (boxed)
536	Akai MPK261 electronic keyboard & stand
537	Tascam HD-P2 portable stereo audio recorder (boxed)
538 539	Soniflex Redbox RB-UL4 quad unbalance / balance converter (boxed)
540	

LOT	DESCRIPTION
541	Pair Adam S3A professional audio monitor speakers, 500W
542	DigiDesign C24 Console in Argosy 90 series desk, DigiDesign 96 I/0, studio cabling kit, 3x Behringer PX3000 Ultrapatch Pro patch panels, cabling etc
543	2x black height adjustable speaker stands
544	Quiklok microphone stand
545	Quiklok microphone stand
546	Quiklok microphone stand
547	Quiklok microphone stand
548	2x studio spares microphone stands
549	2x studio spares microphone stands
550	Senn microphone stand
551	Konica Minolta Nizhub C250i photocopier (25/25PPM)
552	Smart 8084i digital smart board inc: remote
553	3x Dedolight DLH4 studio spot lights inc: tripods, clamps, PSU, gels etc in Dedolight transit case
554	Peli 1520 protective case, 480x360x200mm
555	Data Video TP-300 prompter kit for tablet inc: frame, riser blocks, remote etc in metal transit case
556	V-Lok MR4T twin charge multi resource charger, 13.8v, 60W inc: 2x IDX D150 Endura cue batteries, DC14.8v
	Atomos Samurai HD-SDi recorder inc: solid state drive, hard disc caddy, battery charger, 2 batteries etc in black transit case
558	TecPro Felloni 2 LED video light, 300x300mm inc: Dedolight tripod, PSU etc in padded carry case
559	Sachtler camera tripod with Sachtler DV8 fluid head in carry case
560 561 562 563 564 565	Sachtler camera tripod with Sachtler Video 18 111 fluid head in Sachtler tripod carry case
202	End Of On-Line Auction Sales







Airport:

East Midlands (45 miles)

Railway Station:

Stamford (3 miles)

Hotels:

The George Hotel - Stamford +44 (0) 1780 750750 The Crown Hotel - Stamford +44 (0) 1780 763136

VIRTUAL / PHYSICAL VIEWING:

TUESDAY 2nd December 2025 - by appointment only

At: PP Saleroom, The Grange Offices, Aunby, Stamford, Lincolnshire, PE9 4EE









Buyers premium of 18% + VAT (at current UK rate) will be charged in addition on all lots. (Exported items: Applicable VAT may be refunded on production of satisfactory shipping documents)

PHOTOGRAPHIC IDENTITY, ADDRESS & NATIONALITY MAY BE REQUIRED FOR VIEWING

Peaker Pattinson (Auctioneers) Ltd reserve the right to sell equipment prior to the sale.

PLEASE NOTE: ACCEPTANCE OF OFFERS AND SUITABILITY OF **PURCHASERS FOR SOME OR ALL OF** THE EQUIPMENT IS AT THE EXCLUSIVE **DISCRETION OF THE VENDORS.**

IMPORTANT NOTE:

All information supplied by the auctioneer in promotional material, catalogues etc. is provided in good faith but may not be correct. No liability is accepted by the auctioneer or their Clients for incorrect information and it is the responsibility of the purchaser to satisfy themselves by physical inspection with regard to: General description, measurement, location, age, general conditions, environmental or health and safety conditions, removal requirements etc.

> All purchasers who do not inspect are deemed to have waived the right to this facility and all sales are deemed to be 'as inspected' and 'as is, in situ.'

Any bid is accepted on the above basis only and all terms are governed by English law.

Peaker Pattinson (Auctioneers) Ltd MA

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE England Tel: +44 (0)1778 590111 Fax: +44 (0)1778 590730 Email: info@ppauctions.com



